

IE 不支持的 css 样式属性实例分析(一)

1. outline 属性实例

```
<html>
<head>
<style type="text/css">
p
{
border: red solid thin;
}
p.dotted {outline-style: dotted}
p.dashed {outline-style: dashed}
p.solid {outline-style: solid}
p.double {outline-style: double}
p.groove {outline-style: groove}
p.ridge {outline-style: ridge}
p.inset {outline-style: inset}
p.outset {outline-style: outset}
</style>
</head>
<body>

<p class="dotted">A dotted outline</p>

<p class="dashed">A dashed outline</p>

<p class="solid">A solid outline</p>

<p class="double">A double outline</p>

<p class="groove">A groove outline</p>

<p class="ridge">A ridge outline</p>

<p class="inset">An inset outline</p>

<p class="outset">An outset outline</p>
</body>
</html>
```

把这段代码放在 dreamweaver 中就可以看出效果，一定要注意哟 IE 浏览器不管用的。

2. Inherit (值)属性实例:

```
<body>
```

```

<style>

body { color: red; background: green ;}

h1 { color: yellow; background: blue ;}

p {color: white ; background: black ;}

em {color: inherit ;} /*这个"继承"是默认的, 可以不写*/

</style>

<body>

<h1>aaa <em>继承的文字</em> aaa</h1>

<em>继承的文字</em>

<p>P 中间的文字</p>

<em>继承的文字</em>

</body>

</body>

</html>

```

3. Empty-Cell 属性实例:

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<title>table test</title>

<style>

#layout {}

.show {border: 1px solid #ff0000; border-collapse:separate; empty-cells: show;}

.hide {border: 1px solid #ff0000; border-collapse:separate; empty-cells: hide;}

</style>

```

```
</head>

<body>

<table id="layout">

<tr>

<td class="show">Cascading</td>

<td class="show"></td>

</tr>

<tr>

<td class="hide">Cascading</td>

<td class="hide"></td>

</tr>

</table>

</body>

</html>
```

4. **Caption-Side** 属性

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=gb2312" />

<title>无标题文档</title>

</head>

<style>

table caption { caption-side: bottom; width: auto; text-align: left; }

</style>
```

```
<body>
```

```
<table border="1">
```

```
<caption>欢迎你到百洋软件研究实验室</caption> /*表格的标题*/
```

```
<tr><td>fgsgsfghsdgsdasdfasdfsadfsaf</td></tr>
```

```
</table>
```

```
</body>
```

```
</html>
```